



# MOBILAIR® Range for Countries with Limited Regulation

Portable compressors with the world-renowned SIGMA PROFILE Delivery volume 0.55 to 48.1 m<sup>3</sup>/min

[www.kaeser.com](http://www.kaeser.com)

## Alternative drives

Model		M 13	M 17	e-power	
		M 10E	M 13E		
Flow rate at max. working pressure	7 bar	m³/min	1.2	1.6	0.85
	100 psi	cfm	42	57	30
	10 bar	m³/min	1	-	0.75
	145 psi	cfm	35		27
	13 bar	m³/min	0.85	-	0.65
	190 psi	cfm	30		22
	15 bar	m³/min	-	1	0.55
	215 psi	cfm		35	19
Engine / motor		Honda GX 630	Honda GX 630	Innomotics	Innomotics
Rated motor power (kW)		15.5	15.5	5.5	7.5
Compressed air treatment		Option	Option	Option	Option



## Compact machines

Model		M 20	M 27	M 30	e-power		
		M 27E	M 31E	M 50E			
Flow rate at max. working pressure	7 bar	m³/min	2	2.6	3.15	2.6	3.15
	100 psi	cfm	71	92	110	92	110
	10 bar	m³/min	-	2.1	2.6	-	2.6
	145 psi	cfm		74	92		92
	12 bar	m³/min	-	1.9	2.3	-	2.3
	175 psi	cfm		67	81		81
	14 bar	m³/min	-	1.6	1.9	-	1.9
	200 psi	cfm		57	67		67
Engine / motor		Kubota D722	Kubota D1105	Kubota D1105T	Innomotics	Innomotics	Innomotics
Rated motor power (kW)		14.7	18.2	18.2	15	22	25
Compressed air treatment		Option	Option	Option	Option	Option	Option
Generator (kVA)		–	6.5	6.5	–	–	–



## Maximum versatility

Model		M 50	M 57	M 57utility	M 70
Flow rate at max. working pressure	7 bar	m³/min	5	5.6	5.4
	100 psi	cfm	180	200	190
	10 bar	m³/min	–	–	4.7
	145 psi	cfm			165
Engine / motor		Kubota V1505T	Kubota V2403	Kubota V2403	Kubota V2003T
Rated motor power (kW)		32.5	36	36	43.3
Compressed air treatment		Option	–	Option	Option



## Power packages

Model		M 100		M 120			
Flow rate at max. working pressure	7 bar	m <sup>3</sup> /min	10.3	-			
	100 psi	cfm	375	-			
	10 bar	m <sup>3</sup> /min	8.5	11.6	12.2		
	145 psi	cfm	300	410	430		
	12 bar	m <sup>3</sup> /min	7.2	-			
	175 psi	cfm	255	-			
	14 bar	m <sup>3</sup> /min	6.4	10.2			
	200 psi	cfm	225	360			
	Engine		Kubota V3008DI-T		Cummins QSF3.8		
Rated motor power (kW)			71.7	97			
Compressed air treatment			Option	Option			
Generator (kVA)			8.5 / 13	-			



## Large compressors

Model		M 235	M 255	e-power			
				M 250E	M 255E		
Flow rate at max. working pressure	8.6 bar	m <sup>3</sup> /min	23.3	25	-		
	125 psi	cfm	825	885			
	10.3 bar	m <sup>3</sup> /min	22.6	20.4	24.7		
	150 psi	cfm	800	720	875		
	12 bar	m <sup>3</sup> /min	19.8	19.9			
	175 psi	cfm	700	705			
	14 bar	m <sup>3</sup> /min	18.1	16.2	-		
	200 psi	cfm	640	570			
	Engine / motor		Cummins QSB6.7	Innomotors	Innomotors		
Rated motor power (kW)			201	348	132		
Compressed air treatment			Option	Option	Option		



ISO 9001:2015  
ISO 14001:2015  
ISO 50001:2018



KAESER KOMPRESSOREN SE

P.O. Box 2143 – 96410 Coburg – GERMANY – Tel +49 9561 640-0 – Fax +49 9561 640-130  
E-mail: [productinfo@kaeser.com](mailto:productinfo@kaeser.com) – [www.kaeser.com](http://www.kaeser.com)